


This listing of claims will replace all prior versions, and listings, of claims in the application. Claims 1-9, and 15 are cancelled without prejudice and claims 16-17 are withdrawn from consideration

Listing of Claims:


1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Currently amended) A method of treating or preventing diabetic diseases by using a dipeptidyl peptidase IV inhibiting agent represented by the general formula (I):



wherein R^{1a} represents a C₁₋₆ alkyl group, a C₃₋₈ cycloalkyl group, a 5- to 10-membered aromatic heterocyclic group, a C₆₋₁₀ aromatic hydrocarbon-cyclic group, a 4- to 10-membered heterocyclic group, or a C₄₋₁₃ polycycloalkyl group;


n means an integer of 0 to 2;

W represents a single bond, or a C₁₋₆ alkylene group, ~~or a group represented by following formula W-1:~~




wherein W^2 represents a nitrogen atom or methine group, m means an integer of 0 to 3, and R^{1b} represents a C_{1-6} alkyl group, a C_{3-8} cycloalkyl group, a 5- to 10-membered aromatic heterocyclic group, a C_{6-10} aromatic hydrocarbon cyclic group, a 4- to 10-membered heterocyclic group, or a C_{4-13} polycycloalkyl group; each of X^1 and X^2 independently represents a nitrogen atom or a methine group; X^1 represents a nitrogen atom, and X^2 represents a methine group;

Z represents a group represented by following formula Z-1 or Z-2:




Z-1



Z-2

wherein each of R^{2a} and R^{2b} independently represents a C_{1-6} alkyl group, or a C_{2-6} alkenyl group, or a phenyl group, and Z^2 represents a sulfur atom or a methylene group; and wherein R^{1a} and R^{1b} may be substituted with one to three substituents selected from the group consisting of (1) halogen atoms, (2) a hydroxyl group, (3) C_{2-6} alkenyl groups, (4) C_{2-6} alkynyl groups, (5) a phenyl group, (6) a cyano group, (7) C_{1-6} alkoxy groups which may be substituted with one to three halogen atoms or C_{1-6} alkoxy groups, and (8) C_{1-6} alkyl groups which may be substituted with one to three halogen atoms or C_{1-6} alkoxy groups.

11. (Currently amended) The method according to claim 10, wherein Z is a group represented by the following formula Z-3:



wherein R^{2b} represents a C₁₋₆ alkyl group, or a C₂₋₆ alkenyl group, ~~or a phenyl group.~~

12. (Previously presented) The method according to claim 10, wherein R^{1a} is a phenyl group or a 4-pyrazolyl group.
13. (Cancelled)
14. (Cancelled)
15. (Cancelled) The method according to claim 10, wherein n is 1 or 2.
16. (Withdrawn)
17. (Withdrawn)